Journal of Biochemical and Biophysical Methods, 15 (1988) 363–365
Elsevier

Author Index

Agner, E., see Arwin, H. (15) 133
Alemany, M., see Serafini, M.T. (15) 33
Anderson, B., see Czerlinski, G.H. (15) 241
Arwin, H., Agner, E., Lundström, I. and Claeson, G.
Non-chromogenic peptide substrates for detection of enzymes by means of capacitance changes at metal electrodes (15) 133

Bartone, N.A., see Inglis, A.S. (15) 249
Barzaghi, B., Righetti, P.G. and Faupel, M.
Isoelectric protein purification in segmented immobilized pH gradients. Effect of salts on rate of contaminants' removal (15) 177
Barzaghi, B., see Faupel, M. (15) 147
Barzaghi, B., see Righetti, P.G. (15) 163
Barzaghi, B., see Righetti, P.G. (15) 189
Bazin, M., see Ghiron, C. (15) 337
Besson, J.-E., Veillas, G., Michoudet, C. and Kopp, N.
The choice of the wavelengths in spectral analysis: an application to determine the composition of a tetraribonucleotide mixture (15) 139
Bjellqvist, B., see Gelfi, C. (15) 41
Bossi, M.L., see Gelfi, C. (15) 41
Bozal, J., see Gracia, R. (15) 63
Bramwell, M.E.
Characterization of biotinylated proteins in mammalian cells using ^{125}I-streptavidin (15) 125
Busquets, M., see Gracia, R. (15) 63

Chakrabarti, B., see Ueno, N. (15) 349
Chandrasekaran, S., see Sankaranarayanan, P. (15) 207
Chapman, Jr., H.A., Ehrhardt, M.M., Crombie, G. and Duffy, L.K.
In vitro assay of extracellular matrix elastin degradation (15) 283
Chatelier, R.C. and Sawyer, W.H.
Isoparametric analysis of binding and partitioning processes (15) 49
Chatterji, D., see Kumar, K.P. (15) 235
Claeson, G., see Arwin, H. (15) 133
Cortés, A., see Gracia, R. (15) 63
Crombie, G., see Chapman, Jr., H.A. (15) 283
Czerlinski, G.H. and Reid, D.S.
Gravitational and magnetic activation methods applied to cultured cells (LK 35.2) (15) 85
Czerlinski, G.H., Anderson, B., Tow, J. and Reid, D.S.
Coupling of redox indicator dyes into an enzymatic reaction cycle (15) 241

Daseler, W., see Redhardt, A. (15) 71
De Vries, B.J., see Van der Kraan, P.M. (15) 273
Dhar, S.C., see Sankaranarayanan, P. (15) 207
Doig, M.T., see Donato, H. (15) 331
Donato, H., Doig, M.T. and Priest, D.G.
Enhancement of polyacrylamide gel slice dissolution in hydrogen peroxide by cupric sulfate (15) 331
Duchenne, M., see Lebacq, P. (15) 255
Duffy, L.K., see Chapman, Jr., H.A. (15) 283

Ehrhardt, M.M., see Chapman, Jr., H.A. (15) 283
El-Masry, M.H., see Sigee, D.C. (15) 215
Elhardt, C.E., see Scouten, W.H. (15) 279
Eriksson, K.-O.
Glycidol-modified gels for molecular-sieve chromatography. Surface hydrophilization and pore size reduction (15) 105

Faupel, M., Barzaghi, B., Gelfi, C. and Righetti, P.G.
Isoelectric protein purification by orthogonally coupled hydraulic and electric transports in a segmented immobilized pH gradient (15) 147
Faupel, M., see Barzaghi, B. (15) 177
Faupel, M., see Righetti, P.G. (15) 163
Faupel, M., see Righetti, P.G. (15) 189
Finlayson, J.R., see Inglis, A.S. (15) 249

Gelfi, C., Bossi, M.L., Bjellqvist, B. and Righetti, P.G.
Isoelectric focusing in immobilized pH gradients in the pH 10–11 range (15) 41

0165-022X/88/$03.50 © 1988 Elsevier Science Publishers B.V. (Biomedical Division)

Gelfi, C., see Faupel, M. (15) 147
Ghiron, C., Bazin, M. and Santus, R.
Characterization of the indole triplet excited state in proteins utilizing laser flash photolysis (15) 337
Gil, M., see Gracia, R. (15) 63
Gopalakrishnan, S., see Sankaranarayanan, P. (15) 207
Gracia, R., Busquets, M., Gil, M., Cortés, A. and Bozal, J.
A kinetic method for quantification of aspartate aminotransferase isoenzymes (15) 63

Hsia, J.C., see Wong, L.T. (15) 267

Inglis, A.S., Bartone, N.A. and Finlayson, J.R.
Amino acid analysis using phenylisothiocyanate prederivatization: Elimination of the drying steps (15) 249

Joannes, M., see Lebacq, P. (15) 255

Kopp, N., see Besson, J.-E. (15) 139
Korpela, T.K., see Mäkelä, M.J. (15) 307
Kuksis, A., see Myher, J.J. (15) 111
Kumar, K.P. and Chatterji, D.
An improved method for the purification of DNA-dependent RNA polymerase from *Escherichia coli* (15) 235

Lebacq, P., Squalli, D., Duchenne, M., Pouletty, P. and Joannes, M.
A new sensitive non-isotopic method using sulfonated probes to detect picogram quantities of specific DNA sequences on blot hybridization (15) 255
Lu, C.Y., see Wong, L.T. (15) 267
Lundström, I., see Arwin, H. (15) 133
Luzzana, M., see Righetti, P.G. (15) 189

Mäkelä, M.J. and Korpela, T.K.
Determination of the catalytic activity of cyclomaltodextrin glucanotransferase by maltotriose-methylorange assay (15) 307
Manfredi, G., see Righetti, P.G. (15) 189
Michoudet, C., see Besson, J.-E. (15) 139
Murata, K., Yokoyama, Y. and Yoshida, K.
The application of chondro-2-sulfatase for identification of the products generated from chondroitin sulfate isomers by high-performance liquid chromatography (15) 23
Myher, J.J. and Kuksis, A.
Facile gas–liquid chromatographic resolution of saturated and unsaturated sterols using a polar capillary column (15) 111

Oberdisse, E., see Weber, G. (15) 295
Oesch, F., see Wieser, R.J. (15) 13

Pouletty, P., see Lebacq, P. (15) 255
Priest, D.G., see Donato, H. (15) 331
Puvanakrishnan, R., see Sankaranarayanan, P. (15) 207

Rangabashyam, N., see Sankaranarayanan, P. (15) 207
Redhardt, A. and Daseler, W.
A new method for absolute determination of radical concentrations of EPR (15) 71
Reid, D.S., see Czerlinski, G.H. (15) 85
Reid, D.S., see Czerlinski, G.H. (15) 241
Righetti, P.G., Barzaghi, B. and Faupel, M.
Protein desalting by isoelectric focusing in a segmented immobilized pH gradient (15) 163
Righetti, P.G., Barzaghi, B., Luzzana, M., Manfredi, G. and Faupel, M.
A horizontal apparatus for isoelectric protein purification in a segmented immobilized pH gradient (15) 189
Righetti, P.G., see Barzaghi, B. (15) 177
Righetti, P.G., see Faupel, M. (15) 147
Righetti, P.G., see Gelfi, C. (15) 41
Righetti, P.G., see Sinha, P.K. (15) 199
Rosenthal, W., see Weber, G. (15) 295

Sankaranarayanan, P., Chandrasekaran, S., Puvanakrishnan, R., Dhar, S.C., Gopalakrishnan, S. and Rangabashyam, N.
Affinity purification of hexosaminidases (15) 207
Santus, R., see Ghiron, C. (15) 337
Sawyer, W.H., see Chatelier, R.C. (15) 49
Scouten, W.H. and Elhardt, C.E.
Centrifugal column chromatography for small sample purification (15) 279
Serafini, M.T. and Alemany, M.
A micromethod for the enzymatic estimation of the degree of glycogen ramification (15) 33
Sigee, D.C. and El-Masry, M.H.
Electron probe X-ray microanalysis of bacterial DNA (15) 215
Sinha, P.K. and Righetti, P.G.
Isoelectric focusing of basic proteases in immobilized pH gradients (15) 199
Squalli, D., see Lebacq, P. (15) 255
Stanacev, N.Z., see Stuhne-Sekalec, L. (15) 1

Steinhoff, H.J.
A continuous wave laser T-jump apparatus and its application to chemical reactions in hemoglobin single crystals (15) 319
Stuhne-Sekalec, L. and Stanacev, N.Z.
Comparison of cytidinediphospho-*sn*-1,2,-diglyceride transfer from microsomal and liposomal to mitochondrial membranes (15) 1

Tinker, D.O., see Wong, L.T. (15) 267
Tow, J., see Czerlinski, G.H. (15) 241

Ueno, N. and Chakrabarti, B.
Monitoring in situ circular dichroism of the intact vitreous: a new approach (15) 349

Van de Putte, L.B.A., see Van der Kraan, P.M. (15) 273
Van den Berg, W.B., see Van der Kraan, P.M. (15) 273
Van der Kraan, P.M., Vitters, E.L., De Vries, B.J., Van den Berg, W.B. and Van de Putte, L.B.A.
Synthesis of aberrant glycosaminoglycans during cartilage culture in 'sulfate free' medium (15) 273
Veillas, G., see Besson, J.-E. (15) 139
Vekshin, N.L.
On measuring biomembrane microviscosity using pyrene luminescence in aerobic conditions (15) 97
Vitters, E.L., see Van der Kraan, P.M. (15) 273

Weber, G., Rosenthal, W. and Oberdisse, E.
A radiometric method for the determination of NADH in subpicomole amounts (15) 295
Wieser, R.J. and Oesch, F.
Plasma membrane glycoproteins covalently bound to silica beads as a model for molecular studies of cell–cell interactions in culture (15) 13
Wong, L.T., Lu, C.Y., Tinker, D.O. and Hsia, J.C.
Application of high-performance liquid chromatography for the study of the microheterogeneity changes of mouse α-fetoprotein in fetal development (15) 267

YashRoy, R.C.
Carbon-13 NMR studies of chloroplast membranes: carbon-13 enrichment without ^{13}C-^{13}C couplings (15) 229
Yokoyama, Y., see Murata, K. (15) 23
Yoshida, K., see Murata, K. (15) 23

Journal of Biochemical and Biophysical Methods, 15 (1988) 366–367
Elsevier

Subject Index

Activation, (15), 85
Affinity chromatography, (15), 207
Agarose, (15), 105
Alcohol dehydrogenase, (15), 241
Alkaline pH range, (15), 41; (15), 199
Amino acid analysis, (15), 249
Anion-exchange column, (15), 267
Anthrone, (15), 33
Antibody-coated microsphere, (15), 85
Aspartate aminotransferase, (15), 63
ATP, [γ-^{32}P]-, (15), 295
Avenasterol, (15), 111
Bacteria, (15), 215
Bacteriophage fd, (15), 337
Binding, (15), 49
Biotinylated, (15), 125
Branching, (15), 33
Brassicasterol, (15), 111
^{13}C-enrichment, (15), 229
^{13}C-NMR, (15), 229
Calcium, (15), 215
Campestanol, (15), 111
Campesterol, (15), 111
Cartilage, (15), 273
CDP-diglyceride, (15), 1
Cell–cell-contact, (15), 13
Cell separation, (15), 85
Centrifugal column chromatography, (15), 279
Chicken liver, (15), 63
Chloroplast membrane, (15), 229
Cholestanol, (15), 111
Cholesterol, (15), 111
Chondroitin sulfate, sulfated, (15), 23
Chondroitin sulfate isomer, (15), 23
Chondroitinase, (15), 23
Chondro-2-sulfatase, (15), 23
Circular dichroism, (15), 349
Collagen, (15), 349
Contact-dependent inhibition of growth, (15), 13
Copper, (15), 331
Correlation to other assay methods, (15), 307
Cross-linking, (15), 49
Cyclodextrin glycosyltransferase, (15), 307
Cyclomaltodextrin glucanotransferase, (15), 307
7-Dehydrosterol, (15), 111
Dermatan sulfate isomer, (15), 23
Desalting, (15), 105; (15), 163
Desmosine, (15), 283
Diaphorase, (15), 241
Dimethyl sterol, (15), 111
Dioxygen quenching, (15), 337
Dissolution, (15), 331
Divinyl sulfone crosslinking, (15), 105
DNA, (15), 215
DNA, chemically modified, (15), 255
DNA, sulfonated, (15), 255
Elastase, (15), 199
Elastin, (15), 283
Electrode adsorption, (15), 133
Electrode capacitance, (15), 133
Enzyme, (15), 125
Enzyme activity, (15), 133
Enzyme assay, (15), 307
EPR, (15), 71
Extracellular matrix, (15), 283
Fetal development, (15), 267
α-Fetoprotein, (15), 267
Formic acid dehydrogenase, (15), 33
Gastric mucosa, (15), 207
Gel filtration, (15), 105; (15), 279
Glucose estimation, (15), 33
Glyceraldehyde-3-phosphate dehydrogenase, (15), 295
Glycidol, (15), 105
Glycogen, (15), 33
Glycosaminoglycan, (15), 273
Gravity, (15), 85
Hemoglobin crystal, (15), 319
Heparin, (15), 207
Heparin-Sepharose column, (15), 235
Hexosaminidase, (15), 207
High-performance liquid chromatography, (15), 267
High-pressure liquid chromatography, (15), 249
Human serum albumin, (15), 337
Hyaluronate, (15), 349
Hydrophilization, (15), 105
Immobilized glycoconjugate, (15), 13

Immobilized pH gradient, (15), 41; (15), 147; (15), 163; (15), 177; (15), 189; (15), 199
Immunoenzymatic detection, (15), 255
Indole triplet identification, (15), 337
Inhibition, (15), 63
Isoelectric focusing, (15), 41; (15), 147; (15), 163; (15), 177; (15), 189; (15), 199
Isoform, (15), 267
Isoionic protein, (15), 163
Laser flash photolysis, (15), 337
Laser temperature jump, (15), 319
Liposome, (15), 1
LK35.2, (15), 85
Luminescence, (15), 97
Macrophage, (15), 283
Magnetic microsphere, (15), 85
Mannosamine, (15), 207
Melittin, (15), 337
Membrane, (15), 97
Methemoglobin thiocyanate, (15), 319
24-Methylene sterol, (15), 111
Microheterogeneity, (15), 267
Microsome, (15), 1
Mitochondria, (15), 1
Molecular-sieve chromatography, (15), 105
Monoclonal antibody, (15), 85
Monomethyl sterol, (15), 111
NADH determination, (15), 295
Non-chromogenic peptide substrate, (15), 133
Nonradioactive probe, (15), 255
2-Oxoglutarate, (15), 63
Partition, (15), 49
Periodate oxidation, (15), 33
Peroxide, (15), 331
Phenylthiocarbamyl amino acid, (15), 249
Phosphoglycerate kinase, (15), 295
Phytosterolemia, (15), 111
Picogram DNA quantification, (15), 255
Plasma membrane glycoprotein, (15), 13
Polyacrylamide, (15), 331
Polysaccharide, (15), 33
Potassium, (15), 215
Preparative electrophoresis, (15), 147; (15), 177
Preparative protein purification, (15), 189
Properties, (15), 307
Proteoglycan, (15), 273
Purification, (15), 207; (15), 235
Pyrene, (15), 97
Radical concentration, (15), 71
Recycling apparatus, (15), 147; (15), 177; (15), 189
Redox indication, (15), 241
Ribonucleotide, (15), 139
Rice bran sterol, (15), 111
RNA polymerase, *E.coli*, (15), 235
β-Sitosterol, (15), 111
Size-exclusion, (15), 105
Spectral analysis, (15), 139
Spectroscopic analysis, (15), 49
Spin concentration, (15), 71
Spun column chromatography, (15), 279
Stigmastanol, (15), 111
Streptavidin, (15), 125
Sulfate, (15), 273
Tetrazolium dye, (15), 241
Transfer, (15), 1
Transient lifetime, (15), 337
Transient spectrum, (15), 337
Transition metal, (15), 215
Trypsin, (15), 199
Viscosity, (15), 97
Vitreous conformation, (15), 349
Wavelength, (15), 139
X-ray microanalysis, (15), 215